

CURRICULUM VITAE

Ken Lukowiak

Updated October 2021

Date of Birth - January 10, 1947

Place of Birth - Newark, NJ., U.S.A.

Citizenship - Canadian

Marital Status – Married (Ms. Kim McKenney), two children (Kai-age 30 and Bryn- age 27)

Telephone numbers - University (403) 220 6872 (office) (403) 220 -4493 (lab)
(403) 283 2700 (Fax)

Mobil: 587-890-8596

email: <lukowiak@ucalgary.ca>

DEGREES HELD

B.Sc., Iona College, June 1969 - Biology.

Ph.D., State University of New York, Albany, August 1973 - Neurophysiology
1980

RESEARCH EXPERIENCE

1969 -1973 Thesis work under direction of Dr. Jon W. Jacklet,
S.U.N.Y., Albany.

1973 - 1974 Post-doctoral Fellow, Human Development Studies Program, University of Kentucky
Medical Centre.

1974 - 1975 N.I.H. Post-doctoral Fellow, Department of Physiology & Biophysics, U.K. Medical
Center, with Dr. Bertram Peretz.

1975 - 1978 Assistant Professor, Department of Physiology, McGill University Montreal PQ Canada.

1978 - 1980 Assistant Professor, Division of Medical Physiology, University of Calgary.

1981 - 1986 Chairman, Neuroscience Research Group, Faculty of Medicine, University of
Calgary.

1980 - 1985 Associate Professor, Department of Medical Physiology, University of Calgary.

1985 - present Professor, Department of Physiology & Pharmacology University of Calgary.

1981 - 1991 Visiting Professor, Tribhuvan University, IOM, Kathmandu, Nepal.
(1981, 1983, 1985, 1991; 1999; 2000)

1992 - 1993 Visiting Professor, Fiji School of Medicine, Suva, Fiji. Acting Deputy Head of School
(FSM Jan-Aug..... 1993)

1996 - 1998 Professor, Department of Physiology AGU (on leave from Calgary)

2005 - Present Adjunct Professor of Medicine Patan Academy of Health Sciences (Nepal)

2011 - Present Visiting Professor Bugando Medical School (CUHAS), Mwanza Tanzania -
Neuroscience to Med Students

TEACHING EXPERIENCE

Graduate Teaching Assistant, S.U.N.Y., Albany, 1969 - 1972.

Introductory Biology, Fall 1969 to Spring 1971.

Systemic Physiology, Summer 1971.

Neurophysiology, Spring 1972, 1973.

Developmental Psychobiology, University of Kentucky, Spring, 1974.

Honours Neurophysiology Program, McGill University, 1975-1977.

Advanced Neurophysiology, Fall 1975-1977.

Neuroscience Research Seminar, Spring 1976, Spring 1977, 1978.

Introductory Physiology, 1976, 1977.

Neuroscience Course (Med. II) Fall 1978. (Calgary)

MDSC 617, Excitable Tissue, 1978 - 1989.

Neuroscience I, (Core Course) 1989-present

Neuroscience II, (Core Course) 1994, 1995 1998 - present

Physiology (Med I) 1978-1983.

MDSC 701, Developmental Neurobiology, 1984, 1986.

Neurophysiology, Teaching to Neurology-Neurosurgeon Residents, 1984, 1986.

Human Physiology to all levels of Medical students in Fiji

Human Physiology to all levels of Medical students in Bahrain

Integrative Human Physiology (Course for 4th year undergraduates in Honours program) Course co-ordinator and principal teacher (1988-2003)

MDSC 409 Brain and Society (course for 4th year BHSc Honours undergrads; 2006-present
Neurol 201 (Introductory course for Honours BSc program in Neuroscience 2009 -2011
Neuro 451 (4th yr course for Honours BSc program in Neuroscience 2011-present)
MDSC 402 (3rd yr course for O'Brien-BSc HS program) 2010-present
MDSC 507 (Global Health for O'Brien-Bsc HS program) 2012-present
Neuroscience for Med Students in Tanzania (CUHAS) 2010-present
Neuroscience for Med students @PAHS (Kathmandu, Nepal) 2010-present
MDSC 409 (Brain and Society Fall 2020 and Winter 2021-I teach all the classes)

PRINCIPLE RESEARCH INTERESTS

Neuronal Mechanisms of Learning and Memory
Neurophysiology of Invertebrate Behavior
Developmental Neurobiology
Mechanisms of Plasticity in Invertebrate Nervous Systems
Peripheral Neural Circuits
Neural-active Peptides
Central Pattern Generators
Neuroethology
Behavioural ecology
Predator-prey interactions
Undernutrition and human development
Masai Birthing Practices

PROFESSIONAL SOCIETIES

Canadian Society of Zoologists
Society for Neuroscience
International Brain Research Organization
International Society for Neuroethology

COMMITTEES OF INTERNATIONAL SOCIETIES

1984-1990 Chairman, Visiting Lecture Traveling Program for IBRO
1984-1990 Member, IBRO Central Committee

COMMITTEES OF NATIONAL SOCIETIES

1981-1984 Councilor for Canadian Association for Neuroscience
1981-1983 Auditor for Canadian Physiological Society

UNIVERSITY WIDE COMMITTEES

1981-1986 Member, Board of Directors, VRRRI

1982-1984 Member, Executive Board of VRRRI
1990- Board of Directors TUCFA (university of Calgary, Faculty Association)
GFC (Governing Body of the University) 1994- 2015; 2016-2020
Board of Governors, The Faculty Association, 1990-1996
Executive Faculty Council CSM 2013-2015; 2016-2020

GRANTS

Human Development Studies Program 1973-1974
N.I.H. Post-doctoral Fellow 1974-1975

On-going Competitive Research operating grants

MRC -Canada; CIHR 1975-present (operating grants; 125,000/yr to 2013)
NSERC Canada from 2013 renewal 2019 - 2025 @ 55,000/yr)

Alberta Heart Foundation 1979-1981
AHFMR - Major Equipment 1980, 1981, 1982, 1983, 1985, 1991, 1995
Alberta Heart Foundation 1981-1985
NSERC (with A.G.M. Bulloch) 1991-1997
MRC Term Grant (with A.G.M. Bulloch) 1984-1989
NATO Grant (2 years) 1988-1990
NATO Grant (2 years) 1995-1997
Canadian Commission for UNESCO 1986-1990

GRAD STUDENTS AND POST DOCTORAL FELLOWS

Peter Ruben (Ph.D., November 1981) Professor, Simon Fraser University (Vancouver, BC)
Jeff Goldberg (Ph.D., July 1983) Professor and Head Dept of Biology, Univ. of Calgary
Sam Weiss (Ph.D., July 1983), Professor and Head Hotchkiss Brain Institute Univ. of Calgary
Sandra Wernham (M.Sc., 1982)
Karen Voshart (1981-1982 withdrew)
Daniela Gadotti (M.Sc., 1985)
Elaine Colebrook (M.Sc., 1987)
David Cawthorpe (M.Sc., 1988)
Janet Richmond (Ph.D., 1989)(Professor, Univ of Illinois)
Manuel Martinez-Padron (Ph.D.1991) Assistant Professor University of Madrid
Michael Wickham (M.Sc., 1989 -1992, Director, ER Canmore Hospital))
Nadine Ewadinger (M.Sc., 1989- 1993)
Dan Bing-Wang (M.Sc.1991-1994)
Zhong-Ping, Feng (Ph.D. 1995- 1998) Associate Professor, Dept of Physiology, Univ of Toronto
Zara Haque (MSc – 1997 – 1999)
David Munno (Ph.D. 1998 – 2003)
Susan Sangha (Ph.D. 2000 – 2004) Human Frontiers PDF Germany
Chloe McComb (MSc 2000 – 2002)
Kashif Paravez (PhD 2002-2006) Medicine Univ of Toronto

David Rosenegger (Ph.D. 2002-2009; Research Assoc Bains lab)
Kara Martens (MSc 2004- 2006) Medicine Univ of Calgary
Mike Orr (2005 – 2008 (PhD; Post-doc in Seattle)
Jae Il-Han (2008-2010 MSc; Industry Korea)
Dr. John Edstrom (MRC - PDF) Research Professor University of Oregon
Dr. Peter deFur (AHFMR - PDF) Professor, George Mason University, Virginia
Dr. Janet Leonard (AHFMR - PDF) Professor, UC Santa Barbara
Dr. Jim Thornhill (MRC - PDF) Professor, University of Saskatchewan
Dr. William Colmers (AHFMR-PDF) Professor, University of Alberta
Dr. Mel Kelley (AHFMR-PDF) Professor, Dalhousie University
Dr. A.D. Murphy (AHFMR - PDF) Professor, Univ. of Illinois, Chicago
Dr. N. Syed (MRC - PDF) Professor and Head Cell Biology, University of Calgary
Dr. Wic Wildering (CNE-PDF) Assistant Professor, Dept of Biology Univ of Calgary
Dr. Gaynor Spencer (MRC-PDF) Associate Professor Brock Univ (Ontario)
Dr. Petra Hermann (NSERC PDF) Research Assistant professor Biology University of Calgary
Dr. Barbara Taylor (NSERC PDF) Associate Professor University of Alaska (Fairbanks)
Dr. Andi Scheibenstock (CIHR 1999- 2001) Physician Cranbrook, BC
Dr. H. Sadamoto (JSPS –2001-2003) Assistant Professor Tokushima Bunri University (Japan)
Dr Sarah Dalesman (2008 - 2012). Assistant Professor (Research) Exeter University, UK
Dr. Marvin Braun (2009 - 2011) Medical Student Univ of Calgary
Dr Hiroshi Sunada (PDF, 2011-2018) Assistant Professor Japan
Dr Anu Batabyal 2020-present
Verò Rivi (PhD student-joint with Univ of Modena in Italy 2020-2022)

Undergraduate Honours Theses (BHSc -Faculty of Medicine and BSc Honours Neuroscience (Faculty of Science)

Pacaline de Caigny
Karla Hittel
Katherine Watson
Bogdon Knezevic
Vikram Karnik
Jovita Byzitter
Lee Fruson
Hamza Riaz
Sarah Lee
Shawn Dodd
Naomi Ie
Ryan Tan
Romina Soudavari
Stephanie Krieger
Diana Kagan
David Chu

Editorial Boards

Journal of Experimental Biology – Editor – October 2004 - present
Molecular Neurobiology Editor 2008 - present
Communicative & Integrative Biology 2008 - present

Notable Awards;

Guenter Award (Univ of Calgary) International Education activities
Killam University of Calgary 2015 (mentorship for Undergrads)
Rhodes Foundation 2016 Mentorship for early career scientists

RESEARCH

DOCTORAL RESEARCH

A peripheral neural circuit in the siphon of *Aplysia* mediates significant behavioural modifications (habituation and sensitization) of a siphon withdrawal response. The withdrawal response and the behavioural modifications are not different when the central nervous system is removed. However, there is an interaction between the peripheral and central neural circuits mediating the behavioural responses of the siphon. Normally the adaptive behaviour is mediated by the integrated activity of both the peripheral and central neural circuits.

DEVELOPMENT NEUROBIOLOGY.

In *Aplysia* habituation of the gill withdrawal reflex is mediated by a peripheral neural plexus. However, in mature *Aplysia* the CNS modulates this behaviour by suppressing the reflex amplitude and speeding the rate of habituation. I have found that in immature *Aplysia* this CNS modulation is not present. Thus, in *Aplysia*, as in vertebrates, behavioural inhibition is less in younger animals. At the neuronal level the excitability of identifiable neurons in immature animals to tactile stimulation of the gill is greater than in large animals. Preliminary evidence indicates that this greater excitability is due to less pre-synaptic inhibitory activity in small animals. More recently, I have found that the gill withdrawal reflex evoked by siphon stimulation is also an age dependent behaviour. Removal of the branchial nerve influence in young animals did not affect the behaviour, whereas, in older animals, this had significant effects. This preparation is thus suited for studying the behaviour and related neuronal activity during development.

INTERACTION BETWEEN PNS-CNS

In *Aplysia*, my laboratory has shown that the CNS and PNS interact to form an integrated system which mediates adaptive gill withdrawal reflex behaviours. In this system the PNS appears to mediate the basic reflex while the CNS exerts suppressive and facilitatory control over the PNS. The presence of the CNS confers greater adaptability on the reflex. Studies are now underway to elucidate the mechanisms by which CNS control is mediated. It appears that a dopaminergic pathway, possibly involving an identified central neuron L9, is responsible for the CNS facilitatory control. Present work is focusing on the role played by gill ganglion as regards CNS modulation of the PNS in the gill.

BEHAVIOURAL STATE

How a preparation will respond to a standard stimulus is dependent on the specific behavioural state of the animal. For instance, following a meal, gill withdrawal reflex behaviours are suppressed compared to control preparations which are not food satiated. Similarly, in animals engaged in sexual activity, just before dissection gill withdrawal reflex behaviours are significantly suppressed. Thus, it is extremely important to take the particular behavioural state of an animal into consideration before coming to any conclusions concerning the neuronal mechanisms which underlie adaptive behaviour. We are presently pursuing how behavioural state is mediated. It is probable that peptides are playing a major role in modulating the level of responsiveness of various reflexes.

NEURAL ACTIVE PEPTIDES

We have obtained the first definite evidence that a peptide which was previously only found in the vertebrate nervous system is present in the nervous system of *Aplysia*. This peptide is arginine vasotocin (AVT). In addition, AVT has been shown to have very potent behavioural effects at concentrations as low as 10^{-12} M. Not only does AVT affect gill behaviours but we have also been able to demonstrate an effect at a monosynaptic connection between a siphon mechanoreceptor neuron and a central gill motor neuron. AVT causes the suppression of this EPSP. Other peptides which are being studied include Met-enkephalin, FMRF amide, Ang II, Substance P, proctolin, SCPB. These studies involve the gill withdrawal reflex; the isolated heart and gill; and the central pattern generator responsible for feeding in *Aplysia* and *Helisoma*.

CLASSICAL CONDITIONING

An *in vitro* model system which can be classically conditioned has now been described. This is a tremendous breakthrough. A neural correlate of this associative learning has now also been obtained. Experiments are now in progress in an attempt to gain an understanding of the neuronal mechanisms which underlie this learning. An examination is also being made of the classic Hebb synapse model.

APLYSIA HEART PREPARATION

We have developed a preparation in which we can study the mechanism by which the CNS exerts long term control over cardiac behaviours. We have found that the *Aplysia* heart is sensitive to very low concentrations (to 10^{-15} M) of peptides which may be released directly on to the heart. In addition, we have found that the peptide effects are not mediated via cyclic AMP.

RAT HIPPOCAMPAL SLICE PREPARATION

We have been the first to study the action of Neuropeptide Y, using electrophysiological techniques, on a mammalian preparation. We have found that this peptide has potent pre-synaptic effects. We are presently looking at this peptide's effect on CA3 cells. In parallel with these experiments, we are using push-pull techniques to determine the behavioural effects of neuropeptide Y on awake, conscious rats. These experiments are being performed in collaboration with Dr. Quentin Pittman.

ONGOING RESEARCH

OPERANT CONDITIONING

We have begun to operantly condition aerial respiratory behaviour in the pond-snail *Lymnaea stagnalis*. This animal periodically comes to the surface to breath (much like a diving mammal). However it can survive (for at least 36 h) without coming to the water's surface. In that situation gaseous exchange occurs across the skin in the water. The conditioning paradigm is as follows. The pneumostome area of the animal is stimulated just as the animal gets ready to open this structure to breath. Tactile stimulation of this organ prevents it from opening and the animal can not breath aerially. Over a one hour training period the animal learns not to open its pneumostome. Learning persists for at least 4 days. Yoked controls do not exhibit this behaviour. It appears that intrinsic membrane properties of neurons that make up the CPG (see below) are altered by the training paradigm. Thus learning may be the result of changing active channels in the membrane. The somata of RPeD1 is required for LTM formation of the learned behaviour.

EXTINCTION IS NOT UNLEARNING

We have found that we can extinguish (Pavlovian extinction) the learned behaviour that had been operantly conditioned. We further found that extinction is dependent on altered gene activity and new protein synthesis. As well the presence of the somata of a single neuron, RPeD1, is required. However, the phenomenon of spontaneous recovery is seen indicating that extinction is not unlearning only that it occludes the original memory.

RECONSOLIDATION OF MEMORY

Whenever a memory is made active it must go through a reconsolidation process in order to re-stabilize it. Reconsolidation is dependent on altered gene activity, new protein synthesis and the somata of RPeD1. However, we have now found that as a memory becomes more and/or better rehearsed reconsolidation first becomes independent of altered gene activity and the presence of RPeD1's somata. As the memory becomes even more entrenched reconsolidation finally becomes protein synthesis independent. We are uncertain what processes occur that underlie this change and how an active memory is no reconsolidated after being made active.

FORGETTING IS AN ACTIVE PROCESS

We have been able to demonstrate that in order to forget a non-declarative memory altered gene activity, new protein synthesis and RPeD1's somata are a necessary requirement. So too in order to forget the snail must be able to perform the behaviour and not be reinforced. All these data support the hypothesis that forgetting is the result of retroactive interference.

CENTRAL PATTERN GENERATORS

Rhythmic behaviours such as locomotion, eating and breathing are thought to be mediated by neuronal circuits that produce rhythmic activity even when they only receive tonic input or no input whatsoever. These have been termed central pattern generators (CPGs). To determine how a circuit can produce such rhythmic activity has proven to be an extremely difficult task. We were the first group to be able to

reconstruct a CPG in culture. We are now in the process of determining the membrane events that underlie the generation of rhythmic activity in a circuit.

NATURE VS NATURE

The nervous system possesses a tremendous amount of plasticity. Many workers have attempted to determine the parameters to which this plasticity can be pushed. In other words, "How much of this plasticity is innate and how much of it is the result of the organism interacting with its environment?" We are now attempting to answer this question by rearing snails under conditions in which they will never have the opportunity to exhibit aerial respiration. We will thus be in a position to determine how the CPG is affected by the lack of use.

PUBLICATIONS (Peer reviewed journals only)

Ken Lukowiak, Professor Department of Physiology and Pharmacology. Peer-reviewed Publications. **Abstracts and book chapters not included.**

- 1) Lukowiak, K. and Jacklet, J.W. (1972). Habituation and dishabituation: Interactions between peripheral and central nervous system in *Aplysia*. *Science* 178: 1306-1309
- 2) Lukowiak, K. (1973) Peripheral and central neural processes in habituation in reflexes in *Aplysia*. Ph.D. Thesis, S.U.N.Y., Albany.
- 3) Jacklet, J.W. and Lukowiak, K. (1975) Neural processes in habituation and dishabituation in model system. *Prog. Neurobiol.* 4: 1-57.
- 4) Lukowiak, K. and Jacklet, J.W. (1975). Habituation and dishabituation mediated by the peripheral and central neural circuits of the siphon of *Aplysia*. *J. Neurobiol.* 6: 183-195.
- 5) Peretz, B. and Lukowiak, K. (1975) Age-dependent control of the habituating gill withdrawal reflex and of correlated activity in identified neurons in *Aplysia*. *J. Comp. Physiol.* 103: 1-17.
- 6) Peretz, B., Jacklet, J.W. and Lukowiak, K. (1976) Habituation of reflexes in *Aplysia*: The relationship between central and peripheral nervous systems. *Science* 191: 396-399.
- 7) Lukowiak, K. and Peretz, B. (1977). The interactions between the central and peripheral nervous systems in the mediation of gill withdrawal reflex behaviour in *Aplysia*. *J. Comp. Physiol.* 117: 219.
- 8) Lukowiak, K. (1977) Gill reflex habituation in *Aplysia*: Importance of peripheral termination's of the branchial nerve. *Can. Physiol. Pharmacol.* 55: 1252-1262.
- 9) Lukowiak, K. (1977) Stimulation of the branchial nerve evokes suppression of the gill withdrawal reflex in young *Aplysia*. *Brain Res.* 132: 553 - 563.

- 10) Lukowiak, K. (1977) Facilitation, habituation and the retardation of habituation of L7's elicited gill withdrawal response in *Aplysia*. Brain Res. 134: 387-392
- 11) Lukowiak, K. (1979) PicROTOXIN prevents habituation of the gill withdrawal reflex in *Aplysia*. Can. J. Physiol. Pharmacol. 56: 1079-1082.
- 12) Lukowiak, K. (1979) L9 modulation of L7's elicited gill withdrawal response in *Aplysia*. Brain Research 163: 207-222.
- 13) Lukowiak, K. (1979) L9 modulation of gill withdrawal reflex habituation in *Aplysia*. J. Neurobiol. 10: 255-271..
- 14) Ruben, P. and Lukowiak, K. (1979) Dopamine modulation of gill reflex behavior in *Aplysia*. Can. J. Physiol. Pharmacol. 57: 329-332.
- 15) Lukowiak, K. (1979) The development of CNS control of the gill withdrawal reflex evoked by siphon stimulation in *Aplysia*. Can. J. Physiol. Pharmacol. 57: 987-997.
- 16) Lukowiak, K. (1980) CNS control over gill reflex behaviors in *Aplysia*: Satiation causes an increase in the suppressive control in older but not young animals. J. Neurobiol. 11: 591-611.
- 17) Lukowiak, K., Thornhill, J., Cooper, K.E. and Veale, W.L. (1980) Vasopressin increases the central nervous system suppressive control over gill reflex behaviours and associated neural activity in *Aplysia*. Can. J. Physiol. Pharmacol. 58: 583-587.
- 18) Moore, G.J., Thornhill, J.A., Gill, V., Lederis, K. and Lukowiak, K. (1980) An arginine vasotocin-like neuropeptide is present in the nervous system of the marine mollusc *Aplysia californica*. Brain Res. 206: 213-218.
- 19) Lukowiak, K. and Peretz, B. Control of gill habituation and the rate of EPSP decrement of L7 by a common source in the CNS of *Aplysia*. J. Neurobiol. 11: 425-433, 1980.
- 20) Lukowiak, K. and Sahley, C. (1981) The in vitro classical conditioning of the gill withdrawal reflex in *Aplysia*. Science 212: 1516-1518.
- 21) Thornhill, J.A., Lukowiak, K., Cooper, K.E., Veale, W.L. and Edstrom, J.P. (1981) Arginine vasotocin, an endogenous neuropeptide of *Aplysia*, suppresses the gill withdrawal reflex and reduces the evoked synaptic input to central gill motor neurons. J. Neurobiol. 12: 533-544.
- 22) Ruben, P., Goldberg, J., Edstrom, J., Voshart, K. and Lukowiak, K. (1981) What the marine mollusc *Aplysia* can tell the neurologist about behavioral neurophysiology. Can. J. Neurol. Sci. 8: 275- 280.
- 23) Lukowiak, K., Thornhill, J.A. and Edstrom, J. (1982) Methionine enkephalin increases CNS suppressive control exerted over gill reflex behaviours and associated neural activity in *Aplysia californica*. Reg. Peptide 3: 303-312.

- 24) Goldberg, J. and Lukowiak, K. (1982) Transfer of habituation shows an interaction between neuronal circuits of the gill withdrawal reflex in *Aplysia californica*. J. Exp. Biol. 96: 107-124.
- 25) Ruben, P. and Lukowiak, K. (1982) Habituation and dishabituation in isolated gill pinnules in *Aplysia*. Comp. Biochem. Physiol. 71A: 585-589.
- 26) DeFur, P. and Lukowiak, K. (1983) Some *in vivo* and *in vitro* properties of the hemolymph of *Aplysia*. J. Exp. Biol. 101: 347-351.
- 27) Wernham, S. and Lukowiak, K. (1983) The effects of serotonin, dopamine and arginine vasotocin on the isolated *Aplysia* heart. I. Heart rate and amplitude of contraction. Comp. Biochem. Physiol. 75C: 295-303.
- 28) Goldberg, J. and Lukowiak, K. (1983) Transfer of habituation between stimulation sites of the siphon withdrawal reflex in *Aplysia*. Can. J. Physiol. Pharmacol. 61: 749-755.
- 29) Ruben, P. and Lukowiak, K. (1983) Modulation of the *Aplysia* gill withdrawal reflex by dopamine. J. Neurobiology 14: 271-284.
- 30) Lukowiak, K. and Freedman, L. (1983) The gill withdrawal reflex is suppressed in sexually active *Aplysia*. Can. J. Physiol. Pharm. 61: 743-748.
- 31) Austin, T., Weiss, S. and Lukowiak, K. (1983) FMRFamide effects on spontaneous and induced contractions of the anterior gizzard in *Aplysia*. Can. J. Physiol. Pharm. 61: 949-953.
- 32) Leonard, J.L. and Lukowiak, K. (1984) Male-female conflict in a simultaneous hermaphrodite resolved by sperm trading. Amer. Nat. 124: 282-286.
- 33) Leonard, J.L. and Lukowiak, K. (1984) An ethogram of the sea slug *Navanax inermis* (Opisthobranchia, Gastropoda). Z. Tierpsychol.: 65: 327-345.
- 34) Roth, J.D., Lukowiak, K. and Berry, R.W. (1984) Long-lasting inhibition of neuron R15 of *Aplysia*: Role of the interneuron II network. Comp. Biochem. Physiol. 78A: 83-89.
- 35) Hicks, T.P., Edstrom, J.P. and Lukowiak, K. (1984) Effects of octopamine and serotonin on neurones of *Aplysia californica*. In: Trace Amines and the Neurosciences (A.D. Boulton, Ed.) Humana Press. pp. 225-246.
- 36) .Weiss, S., Goldberg, J., Chohan, K., Stell, W., Drummond, G.I. and Lukowiak, K. (1984) Evidence for FMRFamide as a neurotransmitter in the gill of *Aplysia californica*. J. Neurosci. 4: 1996-2000.
- 37) .Leonard, J.L. and Lukowiak, K. (1984) The squishy revisited: A call for ethological affirmative action. Behavioral and Brain Sciences 7: 394-397.

- 38) Goldberg, J.I. and Lukowiak, K. (1984) Transfer of habituation in *Aplysia*: Contribution of heterosynaptic pathways in habituation of the gill withdrawal reflex. *J. Neurobiol.* 15: 395-411.
- 39) .Weiss, S., Goldberg, J.I., Edstrom, J.P. and Lukowiak, K. (1984) Cholinergic receptors in the *Aplysia* gill. *J. Neurobiol.* 15: 325-332.
- 40) Drummond, G.I., Wernham, S. and Lukowiak, K. (1985) Stimulation of adenylate cyclase in the heart of *Aplysia* by biogenic amines. *Comp. Biochem. Physiol.* 80C: 129-133.
- 41) .Leonard, J.L. and Lukowiak, K. (1985) The standard ethogram: A two-edged sword? *Z. Tierpsychol.* 68: 335-337.
- 42) Cawthorpe, D.R.L., Rosenberg, J., Colmers, W.F., Lukowiak, K. and Drummond, G.I. (1985) The effects of small cardioactive peptide B on the isolated heart and gill of *Aplysia californica*. *Can. J. Physiol. Pharmacol.* 63: 918-925.
- 43) Colmers, W.F., Lukowiak, K.D. and Pittman, Q.J. (1985) Neuropeptide Y reduces orthodromically evoked population spike in rat hippocampal CA1 by a possibly presynaptic mechanism. *Brain Res.* 346: 404-408.
- 44) Mpitsos, G.J. and Lukowiak, K. (1985) Associative and non-associative learning in gastropod molluscs. In: *The Mollusca, Vol. 8: "Neurobiology and Behavior"* (ed. A.O.D. Willows) Academic Press, N.Y. pp. 95-267.
- 45) Murphy, A.D. Stell, W., and Lukowiak, K. (1985) Peptidergic modulation of patterned motor activity in identified neurons of *Helisoma*. *Proc. Nat. Acad. Sci.* 82: 7140-7143.
- 46) Edstrom, J.P. and Lukowiak, K. (1985) Frequency dependent action potential prolongation in *Aplysia* pleural sensory neurons. *Neuroscience* 16: 451-460, 1985.
- 47) Weiss, S., Goldberg, J.I., Lukowiak, K. and Drummond, G.I. (1985) Effect of dopamine and serotonin on cyclic AMP and contractility in the gill of *Aplysia californica*. *J. Comp. Physiol.* 156: 57-66.
- 48) Lukowiak, K., Goldberg, J., Colmers, W.F. and Edstrom, J.P. (1986) Peptide modulation of neuronal activity and behaviour in *Aplysia*. In: *Comparative Aspects of Opioid and Related Neuropeptide Mechanism.* G. Stefano and M. Leung, Eds. (CRC) pp. 129-144.
- 49) Leonard, J.L. and Lukowiak, K. (1985) Courtship, copulation and sperm-trading in the sea slug, *Navanax inermis* (Opisthobranchia : Cephalaspidea). *Can J. Zool.* 63: 2719-2729.
- 50) Leonard, J.L. and Lukowiak, K. (1986) The behavior of *Aplysia californica* Cooper (Gastropoda; Opisthobranchia): I. Ethogram *Behaviour* 98: 320-360.
- 51) Lukowiak, K. (1986) In vitro classical conditioning of a gill withdrawal reflex in *Aplysia*: Neural correlates and possible neural mechanisms. *J. Neurobiol.* 17: 83-101.

- 52) Richmond, J.E., Bulloch, A.G.M. and Lukowiak, K. (1986) Peptidergic modulation of a neuromuscular junction in *Aplysia*: Bioactivity and immunocytochemistry. *Brain Res.* 370: 159-164.
- 53) Gadotti, D., Bauce, L.G., Lukowiak, K. and Bulloch, A.G.M. (1986) Transient depletion of serotonin in the nervous system of *Helisoma*. *J. Neurobiol.* 17: 431-447.
- 54) Leonard, J.L. and Lukowiak, K. (1987) Sperm-sharing: A form of cheating by sperm trading snails. *Nature* 325: 737-738.
- 55) Colmers, W.F., Lukowiak, K. and Pittman, Q.J. (1987) Presynaptic action of neuropeptide Y in area CA1 of the rat hippocampal slice. *J. Physiol.* 383: 285-299.
- 56) Lukowiak, K. and Murphy, A.D. (1987) Molluscan model systems for the study of neuropeptides. In: *Methods in Neurobiology* (Q.J. Pittman, Ed.) Humana Press pp. 439-476.
- 57) Goldberg, J.I., Colmers, W.F., Edstrom, J.P. and Lukowiak, K. (1987) Suppression of sensory-motor neuron synaptic transmission and narrowing of the sensory neuron action potential by the peptide hormone, arginine vasotocin, in *Aplysia californica*. *J. Exp. Biol.* 128: 47-62.
- 58) Lukowiak, K. and Colmers, W.F. (1987) Endogenous peptides work at multiple sites in the nervous system of *Aplysia* in the control of gill behaviours *Regulatory Peptides* 17: 99-109.
- 59) Lukowiak, K. and Colebrook, E. (1987) Classical Conditioning of in vitro preparations: Multiple sites of neuronal changes. In: *Neurobiology: Molluscan Models* (Boer, H.H., Geraerts, W.P.M. and Joose, J., Eds) North Holland Publ. pp. 320-325.
- 60) Murphy, A.D. and Lukowiak, K. (1987) Identified small cardioactive peptide B immunoreactive neurons and patterned motor activity in the buccal ganglion of *Helisoma*. In: *Neurobiology: Molluscan Models* (Boer, H.H., Geraerts, W.P.M. and Joose, J., Eds) North Holland Publ., pp. 124-127.
- 61) Leonard, J.L. and Lukowiak, K. (1987) Ethological Mechanisms of sexual role alteration in *Navanax inermis* (opisthobranchia). In: *Neurobiology: Molluscan Models* (Boer, H.H., Geraerts, W.P.M. and Joose, J., Eds) North Holland Publ., pp. 242-248.
- 62) Lukowiak, K. (1987) A blood borne factor from food satiated *Aplysia* suppresses the gill withdrawal reflex in in vitro preparations from unsatiated animals. *Neuroscience Letters.* 77: 205-208.
- 63) Colebrook, E. and Lukowiak, K. (1988) Learning by the *Aplysia* model system: Lack of correlation between gill and motor neurone responses. *J. Exp. Biol.* 135: 411-429, 1988.
- 64) Lukowiak, K. and Colebrook, E. (1988) Neural mechanisms of learning in *Aplysia*: More than just the sensory-motor neurone synapses are involved. *Symp. Biologica Hungarica* 36: 533-544.

- 65) Colebrook, E. and Lukowiak, K. (1989) Neuronal basis of learning: lesions from the molluscan nervous system. In: Plasticity of the Adult Molluscan Nervous System. Ed. A.G.M. Bulloch. Manchester University Press, pp. 176-199.
- 66) Kelly, M.E.M., Bisby, M.A. and Lukowiak, K. (1988) Regeneration restores some of the altered electrical properties of axotomized bullfrog B-cells. *J. Neurobiol.* 19: 357-372.
- 67) Lukowiak, K. and Colebrook, E. (1989) Neuronal mechanisms of learning in an *in vitro Aplysia* preparation: sites other than the sensory-motor neuron synapse are involved. *J. Physiol. (Paris)* 83: 198-206.
- 68) Leonard, J.L., Edstrom, J. and Lukowiak, K. (1989) A re-examination of the gill withdrawal reflex of *Aplysia californica*. *Behavioral Neuroscience* 103: 585-604.
- 69) Cawthorpe, D., Higgins, A., Lukowiak, K. (1988) FMRFamide prevents habituation and potentiates the gill withdrawal reflex in the isolated gill preparation of *Aplysia*. *Reg. Peptides* 22: 227-236.
- 70) Lukowiak, K. and Colebrook, E. (1988) Classical conditioning alters the efficiency of identified gill motor neurons to produce gill withdrawal movements in *Aplysia*. *J. Exp. Biol.* 140: 273-285 .
- 71) Kelly, M.E.M., Bisby, M.A. and Lukowiak, K. (1988) The effects of axotomy on electrophysiological properties of B cells of bullfrog sympathetic ganglia conditioned by a previous lesion. *Can. J. Physiol. Pharm.* 66: 942-945 .
- 72) Colmers, W.F., Lukowiak, K. and Pittman, Q.J. (1988) Neuropeptide Y: Presynaptic inhibition in rat hippocampal area CA1 may involve calcium channel modulation. *J. Neurosci.* 8: 3827-3837.
- 73) Higgins, A., Cawthorpe, D. and Lukowiak, K. (1989) The perfusion of the endogenous neuropeptide FMRFamide through the gill of *Aplysia* potentiates the gill withdrawal reflex evoked by siphon stimulation and prevents its habituation". *J. Neuroendocrinology* 1: 29-34 (1989).
- 74) Man-Son-Hing, H. Zoran, M.J., Lukowiak, K. and Haydon, P.G. (1989) A neuromodulator of synaptic transmission acts on secretory apparatus as well as ion channels. *Nature* 341: 237-239.
- 75) Kelly, M.E.M., Bulloch, A.G.M., Bisby, M. and Lukowiak, K. (1989) Regeneration of frog sympathetic neurons is accompanied by sprouting and retraction of intraganglionic neurites. *Brain Res.* 477:363-368.
- 76) Syed, N.I., Bulloch, A.G.M. and Lukowiak, K. (1990) In vitro reconstruction of the respiratory central pattern generator (CPG) of the pond snail *Lymnaea*. *Science* 250: 282-285.
- 77) Cawthorpe, D. and Ken Lukowiak (1990) Dopamine and FMRFamide act directly on isolated gill muscle fibers in culture. *Neurosci. Lett.* 113: 345-348.

- 78) Cawthorpe, D. and Lukowiak, K. (1990) Suppression of gill withdrawal reflex behaviours in *Aplysia*: the role of acetylcholine. *Can. J. Physiol. Pharmacol.* 68:1407-1413.
- 79) Lukowiak, K. and Colebrook, E. (1990) Learning by the Aplysia Model System: Lack of Correlation Between Gill and Gill Motor Neuron Responses". In: *Neurobiology of Learning and Memory*, Vol. 2, Eds. G.L. Shaw, J.L. McGaugh and S.P.R. Rose, World Scientific Press. Singapore, pp. 540-558.
- 80) Richmond, J.R., Bauce, L., Bulloch, A.G.M. and Lukowiak, K. (1991) Evidence for the presence, synthesis, immuno-reactivity and uptake of GABA in the nervous system of the snail *Helisoma trivolvis*. *J. Comp. Neurol.* 307: 131-143.
- 81) Ridgway, R.L., Syed, N.I., Lukowiak, K. and Bulloch, A.G.M. (1991) Nerve growth factor (NGF) induces sprouting of specific neurons of the snail, *Lymnaea stagnalis*. *J. Neurobiol.* 22: 377-390.
- 82) Colebrook, E., Bulloch, A. and Lukowiak, K. (1991) Electrophysiological studies of the gill ganglion in *Aplysia californica*. *Cellular and Mol. Neurobiol.* 11: 305-320.
- 83) Lukowiak, K. (1992) The use of identified snail neurons in tissue culture to study mechanisms underlying both synaptic plasticity and central pattern generators. *Soviet Journal of Developmental Biology*, 23: 105-116.
- 84) Lukowiak, K. (1991) Central pattern generators: Some principles learned from invertebrate model systems. *J. Physiol. (Paris)* 85: 63-70.
- 85) Lukowiak, K. Experimental reconstruction of neuronal pattern generators. (1991) *Current Opinion in Neurobiology*, 1: 577-582.
- 86) Gonzalez, G.C., Martinez-Padron, M., Ko, D., Lukowiak, K. and Lederis, K. (1991) Urotensin I-like immunoreactivity in the central nervous system of *Aplysia californica*. *Peptides*, 12: 787-793.
- 87) Martinez-Padron, M., Gray, W.R. and Lukowiak, K. Conopressin G, a molluscan-like peptide, alters gill behaviors in *Aplysia*. *Can. J. Physiol. Pharm.* 70: 259-267, 1992.
- 88) Martinez-Padron, M., Edstrom, J., Wickham, J. and Lukowiak, K. (1992) Modulation of *Aplysia californica* siphon sensory neurons by conopressin G. *J Exp Biol.* 172: 79-105.
- 89) Gonzalez, G.C., Martinez-Padron, M., Ko, D., Lukowiak, K. and Lederis, K. (1992) Distribution and coexistence of urotensin I and urotensin II peptides in the central ganglia of *Aplysia californica*". *Peptides* 13: 695-703.
- 90) Martinez-Padron, M., Gonzalez, G.C., Lederis, K. and Lukowiak, K. (1992) Localization of vasopressin-like immunoactivity in the CNS of *Aplysia californica*. *J Neurocytol.* 21: 672-678.

- 91) Syed, N.I., Ridgway, R.L., Lukowiak, K. and Bulloch, A.G.M. (1992) Transplantation and functional integration of an identified respiratory interneuron in *Lymnaea stagnalis*. *Neuron*. 8: 767-774.
- 92) Syed, N.I., Lukowiak, K. and Bulloch, A.G.M., (1992) Specific in vitro synaptogenesis between identified *Lymnaea* and *Helisoma* neurons". *NeuroReport* 3: 793-796.
- 93) Syed, N.I., Roger, I., Ridgway, R., Bauce, L., Lukowiak, K. and Bulloch, A.G.M., (1993) Identification, characteristics and in vitro reconstruction of an interneuronal network of the snail *Helisoma trivolvis*, *J Exp. Biol.*, 174: 19-44.
- 94) Martinez-Padron, M. and Lukowiak, K. (1993) Conopressin G increases activity in command neurons mediating respiratory pumping in *Aplysia californica*". *J. Exp. Biol.* 174: 375-380.
- 95) Barnes, S., Syed, N.I., Bulloch, A.G.M., Lukowiak, K. (1994) Modulation of Ionic Currents by Dopamine in an Interneurone of the Respiratory Central Pattern Generator of *Lymnaea*. *J. Exp. Biol.* 189, 37-54.
- 96) Richmond, J.E., Murphy, A.D., Lukowiak, K., Bulloch, A. (1994) GABA Regulates the Buccal Motor Output of *Helisoma* by Two Pharmacological Distinct Actions. *J. Comp. Physiol* 174, 593-600.
- 97) Komatsu, H., Lukowiak, K., Ogli, K. (1993) Effects of Enflurane on Gill Withdrawal Behaviors and the Ability to Elicit Gill Contractions in *Aplysia*. *J Anesthesia* 7:434-441,1993.
- 98) Ewadinger, N.M., Syed, N.I., Lukowiak, K., and Bulloch, A.G.M. (1994) Dye Coupling Of Biocytin Between Strongly, But Not Weakly Coupled Neurons In The Mollusc *Lymnaea stagnalis*, *J.Exp.Biol.* 192, 291-297.
- 99) Moroz, L., Wiinlow, W., Turner, R., Bulloch, A., Lukowiak, K., and Syed, N. (1994) Nitric oxide synthase-immunoreactive cells in the CNS and periphery of *Lymnaea* . *NeuroReport* 5, 1277-1280.
- 100) Moroz, L., Bulloch, A., Lukowiak, K., and Syed, N., (1994) Putative NO-synthesizing neurons of *Lymnaea in vivo* and *in vitro*. *Neth. J. of Zoology* 44, 535-549.
- 101) Spencer, G., Winlow, W., Lukowiak, K., and Syed, N. (1995) Halothane induced synaptic depression at both *in vivo* and *in vitro* reconstructed synapses between identified *Lymnaea* neurons. *J. Neurophysiol.* 74, 2604-2613.
- 102) Gonzalez, G., Roger, I., Gonzalez, E., Martinez-Padron, M., Moore, G., and Lukowiak, K. (1995) Angiotensinogen like epitopes are present in the CNS of *Aplysia californica* and colocalize with Urotensin I and Urotensin II- like immunoreactivities in the cerebral ganglia. *NeuroReport* 6, 541-544.

- 103) Kelly, M., Bisby, M., and Lukowiak, K., (1995). Differential expression of the electrophysiological responses to axotomy in bullfrog sympathetic neurons following nerve injury at 15 C. *Restorative Neurology and Neuroscience* 8, 137-143.
- 104) Steffensen, I., Syed, N., Lukowiak, K., Bulloch, A., and Morris, C. (1995). Sensorin-A immunocytochemistry reveals putative mechanosensory neurons in *Lymnaea* CNS. *Invert. Neurosci* 1, 207-213.
- 105) Gonzalez, G. Bountzioukas, S., Gonzalez, E., McMaster, D., Ko, D., Lederis, K., and Lukowiak, K.(1996). Hypothalamic and extrahypothalamic sauvagine-like immunoreactive neurons and their projections in the bullfrog *Rana catesbeiana*. *J. Comp. Neurol.* 365: 256- 267.
- 106) Gonzalez, G., Bountzioukas, S., and Lukowiak, K. (1996). Presence of a sauvagine-like epitopes in the interrenal gland of the bullfrog *Rana catesbeiana*. *Cell and Tissue Research* 283, 117-123.
- 107) Lukowiak, K., Ringseis, E, Spencer, G., Wildering, W., and Syed, N. (1996). Operant conditioning of aerial respiration in *Lymnaea*. *J. Exp Biol.* 199, 683-691.
- 108) Inoue, T., Tasasaki, M., Lukowiak, K., and Syed, N. (1996) Inhibition of the respiratory pattern generating neurons by an identified whole body withdrawal interneuron of *Lymnaea stagnalis*. *J Exp. Biol.* 199, 1887-1898.
- 109) Spencer, G., Syed, N., Lukowiak, K., and Winlow, W., (1996) Halothane affects both inhibitory and excitatory synaptic transmission at a single identified molluscan synapse, *in vivo* and *in vitro*. *Brain Res* 714, 28-48.
- 110) Komatsu, H., Lukowiak, K., and Ogli, K., (1996). The dual effect of enflurane on the gill withdrawal reflex of *Aplysia* . *Invert Neurosci.*, 2, 25-40.
- 111) Inoue, T., Tasasaki, M., Lukowiak, K., and Syed, N. (1996). Identification of a putative mechanosensory neuron in *Lymnaea*: Characterization of its synaptic and functional connections with the whole-body withdrawal interneuron. *J. Neurophysiol*, 76, 3230-3238
- 112) Jacklet, J., Barnes, S. Bulloch, A., Lukowiak, K. and Syed, N., (1996). Rhythmic activities of isolated and cultured pacemaker neurons and photoreceptors of the *Aplysia*. retina in culture. *J Neurobiol.*, 31 16-38.
- 113) Spencer, G.E., Lukowiak, K. and Syed, N.I., (1996) Dopamine regulation of neurite outgrowth from identified *Lymnaea* neurons in culture. *Cellular and Molecular Neurobiology* 16(5): 577-590.
- 114) Nesic, O., Magoski, N.S., McKenney, K.K., Syed, N.I., Lukowiak, K. and Bulloch, A.G.M. (1996) Glutamate as a putative neurotransmitter in the mollusc, *Lymnaea stagnalis*. *Neurosciences.* 75(4): 1255-1269.

- 115) Ewadinger, N.M., Ridzway, R.L., Syed, N.I., Lukowiak, K. and Bulloch A.G.M, (1996). Identification and localization of a [MetS]-enkephaline-like peptide in the mollusc *Lymnaea stagnalis*. Brain Res. 737(1,2): 1-15.
- 116) Van Minnen, J. J. Bergman, E. R. Van Kesteren, A. B. Smit, W. P. M. Geraerts, K. Lukowiak, S. U. Hasan and N. I. Syed. (1997) *De novo* protein synthesis in isolated axons of identified neurons. Neuroscience, 80, 1-7.
- 117) Hermann, P.M., Lukowiak, K., Wildering, W.C., and Bulloch, A.G.M. (1997) Pronase acutely modulates high voltage activated calcium currents and cell properties of *Lymnaea* neurons. Eur. J. Neurosci. 9, 2624-2633
- 118) Lukowiak, K., Cotter, R., Westly, J., Ringseis, E., Spencer, G., and Syed, N. (1998) Long term memory of an operantly conditioned respiratory behaviour in *Lymnaea stagnalis*. J. Exp Biol: 201, 877 - 882.
- 119) Lukowiak, K., and Syed, N. (1999). Learning, memory and a respiratory central pattern generator. Comp. Biochem. Physiol. A. 124: 265 – 274.
- 120) Spencer, G, Syed, N., and Lukowiak, K. (1999) Neural changes following operant conditioning of aerial respiratory behaviour in *Lymnaea stagnalis*. J. Neuroscience 19, 1836 – 1843.
- 121) Hamakawa, T., Feng, Z-P, Grigoriv, N., Inoue, T., Takasaki, M., Roth, S., Lukowiak, K., Hasan, S., and Syed, N. (1999) Sevoflurane induced suppression of inhibitory synaptic transmission between soma-soma paired *Lymnaea* neurons. J. Neurophysiol 82 2812 - 2819
- 122) Hamakawa, T., Woodin, M., Bjorgum, M., Painter, S., Takaski, M., Lukowiak, K., Nagle, G., and Syed, N. (1999). Excitatory synaptogenesis between identified *Lymnaea* neurons *in vitro* requires extrinsic trophic factors and is mediated by receptor kinases. J. Neuroscience 19:9306 – 9312.
- 123) Woodin, M., Hamakawa, T., Takaski, M., Lukowiak, K., and Syed, N. (1999). Trophic factor-induced plasticity of synaptic connections between identified *Lymnaea* neurons. Learning and Memory 6, 307 – 316
- 124) Abdul-Ghaffar, T., Lukowiak, K., and Nayar, U. (1999) Challenges of teaching physiology in a PBL school. Advances in Physiological Education 276: 71 – 78
- 125) Feng, Z-P, Hasan, S., Lukowiak, K., and Syed, N. (2000). Target cell contact suppresses neurite outgrowth from soma-soma paired *Lymnaea* neurons. J. Neurobiol. 42, 357 – 369.
- 126) Lukowiak, K., Adatia, N., Krygier, D., and Syed, N. (2000). Operant conditioning in *Lymnaea*: Evidence for intermediate and long-term memory. Learning and Memory 7, 140 – 150.
- 127) Taylor, B., and Lukowiak, K (2000). The respiratory central pattern generator of *Lymnaea*: a model, measured and malleable. Respiration Physiology 122, 197 - 207.

- 128) Munno, D., Lukowiak, K., Syed, N., and Dickinson, P. (2000). Different extrinsic factors regulate neurite outgrowth and synapse formation between identified *Lymnaea* neurons. *J. Neurobiol.* 44, 20 – 30.
- 129) Spencer, G., Lukowiak, K., and Syed, N. (2000) Transmitter-receptor interactions between growth cones of identified *Lymnaea* neurons determine target cell selection in vitro. *J Neurosci* 20, 8077 – 8086.
- 130) Spencer, G., Syed, N., van Kesteren E, Lukowiak, K., Geraerts, W.P.M and van Minnen (2000). Synthesis and Functional Integration of a Neurotransmitter Receptor in Isolated Axons. *J. Neurobiol.* 44, 72 – 81.
- 131) Haney, J. and Lukowiak, K. (2001) Context learning and the effect of context on memory retrieval in *Lymnaea*. *Learning and Memory* 8: 35 – 43.
- 132) Inoue, T., Haque, Z., Lukowiak, K., and Syed, N. (2001). Hypoxia-induced respiratory patterned activity in *Lymnaea* originates at the periphery. *J. Neurophysiology* 86: 156 – 163
- 133) Taylor, B., Smyth, K., Remmers, J., and Lukowiak, K. (2001) Metabolic Consequences of Hypoxic Conditioning in *Lymnaea stagnalis* *Adv. Exp. Med. Biol* 499: 225 229.
- 134) Spencer, G., Kazmi, M., Syed, I., and Lukowiak, K. (2001) The *Lymnaea* Respiratory System: Where are we going with learning? *Adv. Exp. Med. Biol* 499: 231 - 236.
- 135) Lukowiak, K., (2002). Changes in the activity of a central pattern generator neuron following the reinforcement of an operantly conditioned behavior in *Lymnaea* *J. Neurophysiol* 88: 1915 – 1923.
- 136) Spencer GE, Kazmi MH, Syed NI, Lukowiak K. (2002). Changes in the activity of a CPG neuron after reinforcement of an operantly conditioned behavior in *Lymnaea*. *J. Neurophysiol* 88: 1915 - 1923
- 137) Lee, T., Leung, Jr., A., Brezden, B., Lukowiak, K., and Syed, N. (2002). Specificity of synapse formation between *Lymnaea* heart motor neuron and muscle fiber is maintained *in vitro* in a soma-muscle configuration. *Synapse* 46: 66 – 71
- 138) Scheibenstock, A., Krygier, D., Haque, Z., Syed, S., and Lukowiak, K. (2002) The soma of RPeD1 must be present for LTM formation of associative learning in *Lymnaea*. *J. Neurophysiol* 88: 1584- 1591.
- 139) Sangha, S, McComb, C., Scheibenstock, A., Johannes, C. and Lukowiak, K (2002). The effects of continuous vs. partial reinforcement schedules on associative learning, memory and extinction in *Lymnaea*. *J. Exp. Biol* 205: 1171- 1178

- 140) Z-P Feng, N. Grigoriev, K. Lukowiak, J. Goldberg, and N. Syed (2002). Development of Ca⁺⁺ hotspots during synaptogenesis between *Lymnaea* neurons is target cell contact specific and involves redistribution of voltage gated calcium channel from non-synaptic to synaptic sites. *J. Physiology* 539: 53 - 65
- 141) Smyth, K., Sangha, S., and Lukowiak, K., (2002) Gone but not forgotten: The lingering effects of intermediate term memory on the persistence of LTM *J. Exp. Biol.* 205, 131–140.
- 142) McComb, C., Sangha, S., Qadry, S., Yue, J., Scheibenstock, A., and Lukowiak, K. (2002). Context Extinction and Associative Learning in *Lymnaea*. *Neurobiol of Learning and Memory* 78, 23 – 34.
- 143) Taylor, B., Harris, M., Smyth, K., Burk, M., Lukowiak, K., and Remmers, J. (2003) Nitric oxide mediates metabolism as well as respiratory and cardiac responses to hypoxia in the snail *Lymnaea stagnalis*. *J. Experimental Zool* 295A:37–46
- 144) McComb, C., Meems, R., Syed, N., and Lukowiak, K. (2003) Electrophysiological differences in the neuronal circuit controlling aerial respiratory behaviour between juvenile and adult *Lymnaea*. *J. Neurophysiol.* 90: 983–992.
- 145) Lukowiak, K., Sangha, S., Scheibenstock, A., Parvez, K., McComb, C., Rosengger, D., Varshney, N and Sadamoto, H. (2003). A Molluscan Model System In *The Search For the Engram*. *J. Physiol. (Paris)* 97: 69 - 76.
- 146) Sangha, S., McComb, C., and Lukowiak, K. (2003) Forgetting and the Extension of Memory in *Lymnaea*. *J. Exp. Biol* 206, 71-77
- 147) Liu, SH., Wang, J., Zhu, DY., Fu, YP., Lukowiak, K., and Lu, YM. (2003) Generation of Functional Inhibitory Neurons in the Adult Rat Hippocampus. *J. Neuroscience* 23: 732 - 736
- 148) Lukowiak, K., Sangha, S., McComb, C., Varshney, N., Rosengger, D., Sadamoto, H. and Scheibenstock, A. (2003). Associative learning and memory in *Lymnaea stagnalis*: How well do they remember? *J. Exp. Biol* 206: 2097 – 2103.
- 149) Lukowiak, K., Haque, Z., Spencer, G., Varshney, N., Sangha, S., and Syed, N. (2003). Long-term memory survives nerve injury and subsequent regeneration process. *Learning and Memory* 10: 44 – 54.
- 150) Sangha, S., Scheibenstock, A. McComb, C. and Lukowiak, K. (2003). Intermediate and Long-term Memories of Associative Learning are Differentially Affected by Transcription *vs.* Translation Blockers in *Lymnaea*. *J. Exp. Biol.* 206: 1605-1613.
- 151) Sadamoto ,H, Sato, H., Kobayashi, S., Murakami, J., Aonuma, H., Ando, H., Fujito, Y., Hamano, K., Awaji, M., Lukowiak, K., Urano, A., and Ito, E. (2003). CREB in the Pond Snail *Lymnaea stagnalis*: Cloning, Gene Expression and Function in Identifiable Neurons of the Central Nervous System. *J. Neurobiol.* 58: 455 –66.

- 152) Sangha, S., Morrow, R., Smyth, K., Cooke, R., and Lukowiak, K. (2003). Cooling Blocks ITM and LTM Formation and Preserves Memory. *Neurobiol. Learning & Memory*. 80 130 –139.
- 153) Sangha, S., Scheibenstock, A., and Lukowiak, K (2003). Reconsolidation of a long-term memory in *Lymnaea* requires new protein and RNA synthesis and the soma of RPeD1. *J. Neuroscience* 23: 8034 – 8040.
- 154) Sangha, S., Scheibenstock, A., Morrow, R., and Lukowiak, K (2003). Extinction requires new RNA and protein synthesis and the soma of the cell RPeD1 in *Lymnaea stagnalis*, *J. Neuroscience* 23: 9842 – 9851.
- 155) Rosenegger D, Roth S, Lukowiak K. (2004) Learning and memory in *Lymnaea* are negatively altered by acute low-level concentrations of hydrogen sulphide. *J Exp Biol*. 207:2621- 2630
- 156) Lukowiak K, Sangha S, Scheibenstock A, Parvez K, McComb C, Rosenegger D, Varshney N, Sadamoto H. (2004) A molluscan model system in the search for the engram. *J Physiol (Paris)*. 97:69-76.
- 157) Sangha, S., Varshney, N., Fras, M., Smyth, K., Rosenegger, D., Parvez, P., Sadamoto, H., and Lukowiak, K. (2004). Memory, reconsolidation and extinction in *Lymnaea* require the soma of RPeD1 *Adv. Exp. Med. Biol* 551: 311 – 318
- 158) Sangha, S., Varshney, N., Fras, M., Smyth, K., Rosenegger, D., Parvez, K., Sadamoto, H. & Lukowiak, K. 2004. Memory, reconsolidation and extinction in *Lymnaea* require the soma of RPeD1. (Ed. by Champagnat, J., DenavitSaubie, M., Fortin, G. & ThobyBrisson, M.), pp. 311-318.
- 159) Sakakibara, M., Futoshi, O, Kazutoku N, Watanabe, K., Meng, H., Horikoshi, Lukowiak K. (2005) Potassium currents in isolated statocyst neurons and RPeD1 in the pond snail, *Lymnaea stagnalis*. *J. Neurophysiol* 94:3884-92.
- 160) Wagatsuma, A., Sadamoto, H., Kitahashi, T., Lukowiak, K., Urano A., and Ito, E. (2005) Determination of the absolute copy numbers of particular mRNAs in a single cell by quantitative real-time RT-PCR. *J Exp. Biol*. 208: 2389 - 2398.
- 161) Parvez, K., Stewart , O., Sangha, S., and Lukowiak, K. (2005) Boosting intermediate-term into long-term memory. *J Exp. Biol*. 208, 1525-1536
- 162) Sangha, S, Scheibenstock, A., Martens, K, Varshney, N, Cooke, R and Lukowiak, K (2005). Impairing forgetting by preventing new learning and memory. *Behav Neurosci* 119: 787 - 796
- 163) McComb, C., Rosenegger, D., Varshney, N., Kwok, H-Y., and Lukowiak, K. (2005) Operant conditioning of an *in vitro* CNS-pneumostome preparation of *Lymnaea*. *Neurobiology of Learning and Memory* 84: 9 - 24.

- 164) McComb, C., Varshney, N., and Lukowiak, K. (2005). Juvenile *Lymnaea* ventilate, learn and remember differently than do adult *Lymnaea*. *J Exp. Biol.* 208: 1459-1467.
- 165) Sakakibara, M, Aritaka, T., Iizuka, A., Suzuki, H., Horikoshi, T., and Lukowiak, K. (2005). The electrophysiological responses to light of neurons in the eye and statocyst of *Lymnaea stagnalis*. *J. Neurophysiol.*, 93: 493-507.
- 166) Lukowiak, K., Martens, K., Orr, M Parvez, K., Rosenegger, D. and Sangha, S. Modulation of respiratory behaviour in a pond snail. (2006) *Respiratory Physiology Neurobiol* 154: 61 - 72
- 167) Haque, Z, Lee, T, Lukowiak, K and Syed, N, (2006) An identified central pattern generating neuron coordinates sensory-motor components of respiratory behavior in *Lymnaea* Eur J Neurosci. 23:94-104
- 168) Sugai, R., Shiga, H., Azami, S., Watanabe, T., Fujito, Y., Lukowiak, K., and Ito, E Taste discrimination in conditioned taste aversion of the pond snail *Lymnaea stagnalis* (2006) *J. Exp Biol.* 209: 826 -833
- 169) Lattal, K.M., Radulovic, J., and Lukowiak K. (2006). Extinction: does it or Doesn't It? The Requirement of Altered Gene Activity and New Protein Synthesis. *Biological Psychiatry* 60: 344-351.
- 170) Parvez, K., Moisseev, V and Lukowiak, K (2006). A Context Specific Single Contingent-Reinforcing Stimulus Boosts Intermediate-Term Memory Into Long-Term Memory. *European J Neurosci.* 24: 606-616
- 171) Azami, S., Wagatsuma, A., Sadamoto, H., Hatakeyama, D., Usami, T., Fujie, M., Koyanagi, R., Azami, K., Fujito, Y., Lukowiak, K., and Ito, E. (2006). Altered Gene Activity Correlated with Long-term Memory Formation of Conditioned Taste Aversion in *Lymnaea*. *J. Neuro. Res* 84:1610 - 1620.
- 172) Parvez, K Rosenegger, D., Orr, M., Martens, K., and Lukowiak, K (2006). Learning at a snail's pace. *Can. J. Neurol. Sci.* 33: 347 - 356
- 173) Martens, K., de Caigny, P., Parvez, K., Amarell, M., and Lukowiak, K (2006) Stressful stimuli modulate memory formation in *Lymnaea stagnalis*. *Neurobiol of Learn and Memory* 87: 391 - 403
- 174) Carter, K., Lukowiak, K, Schenk, J., Sorg, BA, (2006) Repeated cocaine effects on learning, memory and extinction in the pond snail *Lymnaea stagnalis*. *J. Exp. Biology* 209: 4273 – 4282
- 175) Lukowiak, K., Fras, M., Smyth, K., Wong, C, and Hittel, K. (2007) Reconsolidation and memory infidelity in *Lymnaea*. *Neurobiol of Learn and Memory* 87: 547 – 560.
- 176) Sugai, R., Azami, S., Shiga, H., Watanabe, T., Sadamoto, H, Kobayashi, S., Hatakeyama, D., Fujito, Y., Lukowiak, K., and Ito, E. (2007) One-trial conditioned taste aversion in *Lymnaea*: Good and poor performers in long-term memory acquisition. *J. Exp. Biol* 210: 1225 - 1237.

- 177) Martens, K., Amarell, M., Parvez, K., Hittel, K., De Caigny, P., Ito, E., and Lukowiak, K (2007). One-trial conditioning of aerial respiratory behavior in *Lymnaea stagnalis*. *Neurobiology of Learning and Memory* 88: 232–242.
- 178) Orr, M El-Bekai, M., Lui, M., Watson K., and Lukowiak, K (2007) Predator detection in *Lymnaea stagnalis*. *J Exp Biol.* 210: 4150 – 4158.
- 179) Orr, M. and Lukowiak, K (2008). Electrophysiological and behavioral evidence demonstrating that predator detection alters adaptive behaviors in the snail *Lymnaea*. *J Neurosci.* 28: 2726-34.
- 180) Lukowiak K, Martens K, Rosenegger D, Browning K, de Caigny P, Orr M. (2008). The perception of stress alters adaptive behaviours in *Lymnaea stagnalis*. *J Exp Biol.* 211:1747-56
- 181) Browning, K., and Lukowiak, K. (2008). Ketamine inhibits long-term, but not intermediate-term memory formation in *Lymnaea stagnalis*. *Neuroscience* 155: 613 - 625
- 182) Rosenegger, D., Parvez, K., and Lukowiak, K. (2008). Enhancing memory formation by altering protein phosphorylation balance. *Neurobiol Learn Mem* 90: 544 - 552.
- 183) Aono K, Fusada A, Fusada Y, Ishii W, Kanaya Y, Komuro M, Matsui K, Meguro S, Miyamae A, Miyamae Y, Murata A, Narita S, Nozaka H, Saito W, Watanabe A, Nishikata K, Kanazawa A, Fujito Y, Okada R, **Lukowiak K**, Ito E. (2008). Speed of back-swimming of *Lymnaea*. *Acta Biol Hung.* 59 Suppl:105-9.
- 184) Orr, MV., Hittel, K, and Lukowiak, K (2008). Comparing memory-forming capabilities between laboratory-reared and wild *Lymnaea*: Learning in the wild, a heritable component of snail memory. *J Exp Biol.* 211: 2807 - 2816.
- 185) Aono K, Fusada A, Fusada Y, Ishii W, Kanaya Y, Komuro M, Matsui K, Meguro S, Miyamae A, Miyamae Y, Murata A, Narita S, Nozaka H, Saito W, Watanabe A, Nishikata K, Kanazawa A, Fujito Y, Yamagishi M, Abe T, Nagayama M, Uchida T, Gohara K, **Lukowiak K**, Ito E (2008). Upside-down gliding of *Lymnaea*. *Biol Bull* 215: 272 - 279.
- 186) de Caigny, P. and Lukowiak, K. (2008). A clash of stressors. *Communicative & Integrative Biology.* 1: 125- 127.
- 187) Orr, MV., Hittel, K, and Lukowiak, K (2009). ‘Different strokes for different folks’: Geographically isolated strains of *Lymnaea stagnalis* only respond to sympatric predators and have different memory forming capabilities. *J. Exp Biol.* 212: 2237 - 2247.
- 188) Hughes et al., 2017).
- 189) Orr, MV., Hittel, K, Lukowiak, K.S. Han, J., and Lukowiak, K (2009) Differences in LTM-forming capability between geographically different strains of Alberta *Lymnaea stagnalis* are maintained whether they are trained in the lab or in the wild. *J. Exp Biol* 212: 3911 - 3918

- 190) Orr, M. And Lukowiak, K (2010). Sympatric predator detection alters cutaneous respiration in *Lymnaea*. *Communicative & Integrative Biology*. 3: 1-4.
- 191) Miyamae, Y., Komuro, M, Hatakeyama, D., Lukowiak, K., and Ito. E. (2010) Contrary effects of octopamine receptor ligands on behavioral and neuronal changes in locomotion of *Lymnaea*. *Biol Bull* 218: 6 - 14.
- 192) Dalesman, S. And Lukowiak, K. (2010) Acute exposure to low environmental calcium alters respiration and locomotion of *Lymnaea stagnalis* *J. Exp. Biol.* 213: 1471 - 1476
- 193) Kennedy, C., Houmes, S., Wyrick, K., Kammerzell, S., Lukowiak, K., and Sorg, B (2010). Methamphetamine Enhances Consolidation of Operantly-conditioned Respiratory Behavior in the Snail *Lymnaea stagnalis*. *J. Exp. Biol.* 213: 2055 - 2065
- 194) Rosenegger D, Wright C, Lukowiak K (2010) A quantitative proteomic analysis of long-term memory. *Molecular Brain* 3: 9 (1-17)-(doi:10.1186/1756-6606-3-9)
- 195) Lukowiak, K., Orr, M., de Caigny, P., Lukowiak, K.S., Il-Han, J., and Dalesman, S (2010) Ecologically relevant stressors modify long-term memory formation in a model system. *Behav Brain Res.* 214: 18 - 24
- 196) Sunada H., Horikoshi, T., Lukowiak, K., and Sakakibara, M. (2010) Increase in intrinsic excitability of RPeD11 in memory enhancement of juvenile and adult *Lymnaea* by predator-induced stress. *Neurobiology of Learning and Memory* 94: 269 - 277.
- 197) Han, J-I., Janes, T., and Lukowiak, K. (2010) The role of serotonin in the enhancement of Long-term memory resulting from predator detection in *Lymnaea* *J. Exp. Biol* 213: 3603 - 3614..
- 198) Rosenegger, D. And Lukowiak, K (2010) The participation of NMDA receptors, PKC, and MAPK in the formation of memory following operant conditioning in *Lymnaea*. *Molecular Brain* 3: 24
- 199) Kita, S., Kimoto, Y., Abe, Y., Hatakeyama, D., Lukowiak, K., and Ito, E. (2011) Does conditioned taste aversion learning in the pond snail *Lymnaea stagnalis* produce conditioned fear? *Biol Bull* 220: 71 - 81.
- 200) Sunada, H., Sakaguchi, T., Horikoshi, T., Lukowiak, K., and Sakakibara, M. (2010). The shadow withdrawal response, dermal photoreceptors, and their input to the higher order interneuron, RPeD11, in the pond snail *Lymnaea stagnalis*. *J. Exp. Biol.* 213: 3409 - 3415
- 201) Dalesman, S., Rundle, S., and Lukowiak, K. (2011) Microgeographic variation in memory formation following operant conditioning to a novel stimulus. *Animal Behaviour* 82: 311 - 319.
- 202) Dalesman, S., Braun, M., and Lukowiak K. (2011) Low environmental calcium blocks long term memory formation in a freshwater pulmonate snail *Neurobiology of Learning and Memory* 95: 393 - 403.

- 203) Knezevic, B., Dalesman, S., Karnik, V., Byzitter, J. & Lukowiak, K. (2011) Low external environmental calcium levels prevent forgetting in *Lymnaea*. *J Exp Biol* 214: 2118 - 2124
- 204) Braun, M. and Lukowiak, K. (2011) Intermediate and long-term memory differ at the neuronal level in *Lymnaea*. *Neurobiology of Learning and Memory* 6: 403 - 416.
- 205) Dalesman, S., Karnik, V., and Lukowiak, K (2011). Sensory mediation of memory blocking stressors in the pond snail *Lymnaea stagnalis*. *J. Exp. Biol.* 214: 2528 -2553
- 206) Dalesman, S., and Lukowiak, K. (2011) Interaction between environmental stressors mediated via the same sensory pathway, *Communicative & Integrative Biology* 4: 717 - 719.
- 207) Dalesman, S., and Lukowiak, K. (2011) Social snails: the effect of social isolation on cognition is dependent on environmental context. *J, Exp. Biol.* 214: 4179 - 4185.
- 208) Karnik, V., Braun, M., Dalesman, S., and Lukowiak, K. (2012) Sensory input from the osphradium modulates the response to memory enhancing stressors in *Lymnaea stagnalis*. *J. Exp Biol.* 215: 536 - 542
- 209) Byzitter, J., Lukowiak, K., Karnik, V., and Dalesman, S. (2012) Acute combined exposure to heavy metals (Zn, Cd) blocks memory formation in a freshwater snail. *Exotoxicity* 21:860 - 868
- 210) Braun, M., Lukowiak, K.S., Karnik, V., and Lukowiak, K. (2012) Differences in neuronal activity explain differences in memory forming abilities of different populations of *Lymnaea stagnalis*. *Neurobiology of Learning and Memory* 97: 173 - 182
- 211) Dalesman, S., and Lukowiak, K. (2012) Alternate behavioural measurements following a single operant training regime demonstrate differences in memory retention. *Animal Cognition* 15: 483-494.
- 212) Dalesman, S., and Lukowiak, K. (2012) How Stress Alters Memory in 'Smart' Snails. *PLoS One* 7(2):e32334.
- 213) Karnik, V., Dalesman, S., and Lukowiak, K. (2012): Input from a chemosensory organ, the osphradium, does not mediate aerial respiration in *Lymnaea stagnalis*. *Aquatic Biology* 15: 167-173.
- 214) Fruson, L., Dalesman, S., and Lukowiak, K (2012). A flavonol present in cocoa ((-)epicatechin) enhances snail memory. *J. Exp Biol.* 215: 3566 - 3576.
- 215) Teskey, M.L., Lukowiak, K.S., Riaz, H., Dalesman, S., and Lukowiak, K (2012) 'What's Hot?': The enhancing effects of thermal stress on long-term memory formation in *Lymnaea*. *J Exp Biol* 215: 4322 - 4329.
- 216) Rosenegger, D. And Lukowiak, K. (2013) The participation of NMDA receptors, PKC, and MAPK in *Lymnaea* memory extinction. *Neurobiol Learn Mem* 100: 64 - 69.

- 217) Lukowiak, K and Dalesman, S (2012). Operant Conditioning of Respiration in *Lymnaea*: The Environmental Context. Invertebrate Learning and Memory, Chapter 23 (eds Manzell and Benjamin) Elsevier
- 218) Sunada H, Lukowiak, K., and Sakakibara, M. (2012) *In vitro* aversion conditioning. Short communication. *Acta Biol Hung* 63: Suppl 2: 190 - 193.
- 219) Sunada H, Lukowiak, K., and Sakakibara, M. (2012) Repetitive noxious stimulus altered the shadow-induced withdrawal behaviour in *Lymnaea*. *Acta Biol Hung* 63: Suppl 2: 179 - 189.
- 220) Murakami, J., Okada, R., Sadamoto, H., Kobayashi, S., Mita, K., Sakamoto, Y., Yamagishi, Y., Hatakeyama, D., Otsuka, E., Okuta, A., Sunada, H., Takigami, S., Sakakibara, M., Fujito, Y., Awaji, M., Moriyama, S., Lukowiak, K., and Ito, E. (2013). Involvement of insulin-like peptide in long-term synaptic plasticity and long-term memory of the pond snail *Lymnaea stagnalis*. *J. Neurosci* 33: 371 - 383.
- 221) Murakami, j., Okada, R., Fujito, Y., Sakakibara, M., Lukowiak, K., and Ito, E. (2013) Paired pulse ratio analysis of insulin-induced synaptic plasticity in the snail brain. *J. Exp. Biol.* 216, 1771-1773.
- 222) Hatakeyama, D., Okuta, A., Otsuka, E., Lukowiak, K., Ito, E. (2013) Consolidation of long-term memory by insulin in *Lymnaea* is not brought about by an alternation in number of insulin receptors. *Communicative & Integrative Biology* 6(3):e23955. doi: 10.4161/cib.23955
- 223) Ito, E., Kojima, S., Lukowiak, K., and Sakakibara, M. (2013). From likes to dislikes: conditioned taste aversion in the pond snail *Lymnaea stagnalis*. *Canadian J Zool* 91: 405-412.
- 224) Takahashi, T., Takigami, S., Sunada, H., Lukowiak, K. and Sakakibara, M. (2013). Critical period of memory enhancement during taste avoidance conditioning in *Lymnaea stagnalis*. *PLoS One* Oct 3;8(10):e75276. doi: 10.1371/journal.pone.0075276. PMID: 24098373.
- 225) Takigami, S., Sunada, H., Lukowiak, K. and Sakakibara, M. (2013). High voltage without current as an unconditional stimulus for taste avoidance conditioning in *Lymnaea stagnalis*. *Neurosci. Lett.* 55, 149-153. doi:pii: S0304-3940(13)00866-5. 10.1016/j.neulet.2013.09.042
- 226) Kojima, S., Sunada, H., Mita, K., Sakakibara, M., Lukowiak, K., and Ito, E. (2015) Function of insulin in associative learning *J. Comp. Physiol A.* 201: 969 - 981.
- 227) Otsuka, E., Matsunaga, M., Okada, R., Yamagishi, M., Okuta, A., Lukowiak, K., and Ito, E. (2013) Increase in Cyclic AMP Concentration in A Cerebral Giant Interneuron Mimics Part of A Memory Trace for Conditioned Taste Aversion of The Pond Snail. *Biophysics* 9: 161-166
- 228) Mita, K., Okuta, A., Okada, R., Hatakeyama, D., Otsuka, E., Yamagishi, M., Morikawa, M., Naganuma, Y., Fujito, Y., Dyakonova, V., Lukowiak, K., and Ito, E (2013). What are the elements of

motivation for acquisition of conditioned taste aversion? *Neurobiol. Learn. and Mem. Neurobiol. Learn. Mem.* 107: 1- 12.

229) Takigami, S., Engr., M., Sunada, H., Lukowiak, K. and Sakakibara, M. (2014) Spaced taste avoidance conditioning in *Lymnaea*. *Neurobiol. Learn. Mem.* 107: 79 - 86.

230) Lukowiak, K., Sunada, H., Teskey, M., Lukowiak, K.S., and Dalesman, S (2014) Environmentally relevant stressors alter memory formation in the pond snail *Lymnaea*. *J. Exp. Biol.* 217: 76-83

231) Dalesman, S., Sunada, H., Teskey, M., and Lukowiak, K (2013) Combining stressors that individually impede long-term memory blocks all memory processes. PLoS One e79561. doi: 10.1371/journal.pone.0079561

232) Takigami, S., Sunada, H., Lukowiak, K. and Sakakibara, M. (2014). Protein kinase C mediates memory consolidation of taste avoidance conditioning in *Lymnaea stagnalis*. *Neurobiol. Learn. Mem.* 111: 9-18

233) Lukowiak, K., Heckler, B., Bennett, T., Schriener, E., Wyrick, K., Jewett, C., Todd, R., and Sorg, B. (2014). Enhanced memory persistence is blocked by DNA methyltransferase inhibitor in the snail *Lymnaea stagnalis*. *J Exp Biol.* 217: 2929-2934)

234) Manyama M, Lukowiak, K., Spritz, R., and Halgrimsson, B (2014). Facial morphometrics of children with Non-syndromic orofacial clefts in Tanzania. *BMC Oral Health* 14: 93 (pp 2-9).

235) Foster, N.L., Lukowiak, K., and Henry, T. B. (2015) Time related expression profiles for heat shock protein gene transcripts (HSP40, HSP70) in the central nervous system of *Lymnaea stagnalis* exposed to thermal stress. *Communicative & Integrative Biology* 8:3 e1040954, DOI:10.1080/19420889.2015.1040954

236) Knezevic, B. and Lukowiak, K. (2014). A flavonol, epicatechin, reverses the suppressive effects on LTM formation. *J. Exp. Biol* 217: 4004-4009.

237) Mita, K., Yamagishi, M., Fujito, Y., Lukowiak, K., and Ito, E. (2014). An increase in insulin is important for the acquisition of conditioned taste aversion in *Lymnaea*. *Neurobiol. Learn. Mem.* 116: 132-138.

238) Sunada, H., Takigami, S., Lukowiak, K., and Sakakibara, M. (2014) Electrophysiological characteristics of feeding-related neurons in taste avoidance conditioning conditioning in *Lymnaea stagnalis*. *Biophysics* 10: 121-133

239) Ito, E., Yamagishi, M., Sakakibara, M., Fugito, Y., and Lukowiak, K (2015) The Yerkes-Dodson law and appropriate stimuli for conditioned taste aversion in *Lymnaea*. *J. Exp. Biol.* 218: 336 - 339.

240) Dodd, SX and Lukowiak, K (2015) Sequential exposure to a combination of stressors blocks memory reconsolidation in *Lymnaea*. *J. Exp. Biol.* 218: 923 - 930.

- 241) Ito, E., Yamagishi, M., Hatakeyama, D., Watanabe, T., Fujito, Y., Dyakonova, V., and Lukowiak, K (2015) Memory block: A consequence of conflict resolution. *J. Exp. Biol.* 218: 1699-1704.
- 242) Ito, E., Kojima, S., Sunada, H., Sakakibara, M., and Lukowiak, K. (2015) Function of insulin in the snail brain in associative learning. *J. Comp. Physiol A. J Comp Physiol A* DOI 10.1007/s00359-015-1032-5
- 243) Takigami, S., Sunada, H., Lukowiak, K., Ito, E., and Sakakibara, M. (2015) An Automated Learning Apparatus for Classical Conditioning of *Lymnaea stagnalis*. *J Neurosci Methods* <doi><http://dx.doi.org/10.1016/j.jneumeth.2015.10.008></doi> (2016 259: 115-121
- 244) Knezevic, B., de Freitas, E., Komatsuzaki, Y., and Lukowiak, K. (2016). A flavonoid component of chocolate quickly reverses an imposed memory deficit. *J. Exp. Biol* 219: 816-823
- 245) Sunada, H., Riaz, H., de Freitas, E., Lukowiak, K. S., Swinton, C., Swinton, E., Protheroe, A., Shymansky, T., Komatsuzaki, Y., and Lukowiak, K. (2016). Heat stress enhances LTM formation: Role of HSPs and DNA methylation. *J. Exp. Biol* 219, 1337-1345
- 246) Hughes, E., Shymansky, T., Sunada, H., and Lukowiak, K (2016). Qualitatively different memory states in *Lymnaea* as shown by differential responses to propranolol. *Neuro Learn Mem* 136, 63-73.
- 247) Forest, J., Sunada, H., Dodd, S., and Lukowiak, K. (2016) Training *Lymnaea* in the presence of a predator scent results in a long-lasting ability to form enhanced long-term memory. *J. Comp. Physiol A.* 202: 399-409.DOI: 10.1007/s00359-016-1086-z.
- 248) Fernell, M., Swinton, C., and Lukowiak, K. (2016) Epicatechin, a component of dark chocolate, enhances memory formation if applied during the memory consolidation period. *Communicative & Integrative Biology* 9, e120577
- 249) Cole, J., Manyama, M., Kimwaga, E., Mathayo, J., Larson, J., Liberton, D., Lukowiak, K. Halmgrimsson, B., and Spritz, R. (2016) Genomewide Association Study of African Children Identifies Association of SCHIP1 and PDE8A with Facial Size and Shape *PLoS Genet* 12: e1006174. doi:10.1371/journal.pgen.1006174
- 250) Sunada, H., Lukowiak, K., and Ito, E. (2017) Cerebral Giant Cells Are Necessary for both the Formation And Recall of Memory of Conditioned Taste Aversion in *Lymnaea*. *Zool. Sci.* 34, 72-80
- 251) Aonuma, H., Kaneda, M., Hatakeyama, D., Watanabe, T., Lukowiak, K., and Ito, E. (2016). Relationship between the grades of a learned aversive-feeding response and the dopamine contents in *Lymnaea*. *Biol. Open.* 2016 Nov 4. pii: bio.021634. doi: 10.1242/bio.021634.
- 252) Hughes, E., Shymansky, T., Swinton, E., Lukowiak, K.S., Swinton, C., Sunada, H., Protheroe, A., Philips, I., and Lukowiak, K. (2017). Strain specific differences in the effects of stress on memory. *J Exp Biol* 220: 891-899

- 253) Shymansky, T., Protheroe, A., Hughes, E., Swinton, C., Swinton, E., Lukowiak, K.S., Phillips, I., and Lukowiak, K. (2017). Juveniles of *Lymnaea* smart snails do not perseverate and have the capacity to form LTM *J. Exp. Biol.* 220: 408-413. doi: 10.1242/jeb.147884
- 254) Lukowiak, K., (2016) Stress, Memory, Forgetting and what *Lymnaea* can tell us about a stressful world. *Physiology of Molluscs Vol 2 (Apple Academic Press ISBN-13: 978-1771884082) Pub 30 Nov 2016*
- 255) Lukowiak, K (2015) 'Forgetting another side of memory consolidation as seen by a snail pp 141-160. In Memory Consolidation. Neuroscience Research Progress Sakakibara M., and Ito, E. (Eds) Nova Science Publishers New For, New York ISBN: 978-1-63483-596-2
- 256) Young, A., Protheroe, A, and Lukowiak, K (2017) Silver nanoparticles alter learning and memory formation in an aquatic organism, *Lymnaea stagnalis*. *Environmental Pollution* (DOI information: 10.1016/j.envpol.2017.02.067)
- 257) Sunada, H., Watanabe, T., Hatakoeyama, D., Lee, S., Forest, J., Sakakibara, M., Ito, E., and Lukowiak, K (2017).Pharmacological effects of cannabinoids on learning and memory in *Lymnaea*. *J. Exp. Biol* 220, 3026 -3038. doi:10.1242/jeb.159038
- 258) Ito, S. Kojima, K. Lukowiak, and M. Sakakibara (2016) From Likes to Dislikes: Conditioned Taste Aversion in the Great Pond Snail (*Lymnaea stagnalis*). *Physiology of Molluscs Vol 2 (Apple Academic Press ISBN-13: 978-1771884082) Pub 30 Nov 2016*
- 259) Rothwell, C., and Lukowiak, K. (2017) Impairing DNA methylation obstructs memory enhancement for at least 24 hours in *Lymnaea*. *Communicative & Integrative Biology* 10:3, e1306616, DOI: 10.1080/19420889.2017.1306616
- 260) Aonuma, H., Kaneda, M., Hatakeyama, D.,Watanabe, T., Lukowiak, K., and Ito, E. (2017) Weak involvement of octopamine in aversive taste learning in a snail. *Neuro Learn Mem* 141:189-198. doi: 10.1016/j.nlm.2017.04.010
- 261) Aonuma, H., Totani, Y., Kaneda, M., Nakamura, R.,Watanabe, T., Hatakeyama, D., Dyakonova, E., Lukowiak, K., and Ito, E. (2018) Effects of 5-HT and insulin on learning and memory formation in food-deprived snails *Neuro Learn Mem* 148: 20-29
- 262) Sunada, H., Totani, Y., Nakamura, R., Sakakibara, M., Lukowiak, K., and Ito, E. (2017). Two strains of *Lymnaea stagnalis* and the progeny from their mating display differential memory-forming ability on associative learning tasks. *Front. Behav. Neurosci.* doi: 10.3389/fnbeh.2017.00161
- 263) Dodd, S., Rothwell, C., and Lukowiak (2018) Otherness, crowding, and long-term memory formation in *Lymnaea* *Comp Biochem Physiol A.* 222:43-51. doi: 10.1016/j.cbpa.2018.04.010
- 264) Shymansky, T., Hughes, E., Rothwell, C., and Lukowiak, K (2018). Propranolol disrupts consolidation of emotional memory in *Lymnaea*. *Neuro Learn Mem* 149: 1-9 (<https://doi.org/10.1016/j.nlm.2018.01.010>) .

- 265) Larson, J., Manyama, M., Cole, J., Liberton, D., Ferra, T., Kimwaga, E., Mathayo, J., Gonzalez, P., Spitzmacher, J., Percival, C., Rolian, C., Jamniczky, H., Weinberg, S., Roseman, C., Klein, O., Lukowiak, K., Spritz, R., and Hallgrímsson, B. (2017). Body Size and Allometric Variation in Facial Shape in Children. *Am J Physical Anthropology* 165:327-342 (doi: 10.1002/ajpa.23356).
- 266) Cole, J., Manyama, M., Nikitovic, D., Gonzalez, P., Liberton, D., Wilson, W., Rolian, C., Larson, J., Kimwaga, E., Mathayo, J., Roseman, C., Santorico, S., Lukowiak, K., Spritz, R., and Hallgrímsson, B. (2018). Facial shape manifestations of growth faltering in Tanzanian children. *J Anat* 232:250-262(doi:10.1111/joa.12748)
- 267) Swinton, E., de Freitas E., Swinton, C., Shymansky, T., Hiles, E., Zhang, J., Rothwell, C., and Lukowiak, K. 2018. Green tea and cocoa enhance cognition in *Lymnaea*. *Communicative & Integrative Biology* 11:1, e1434390, DOI: 10.1080/19420889.2018.1434390
- 268) Tan, R., and Lukowiak, K (2018) Combining factors that individually enhance memory in *Lymnaea*. *Biol Bull* 234: 37-44. doi: 10.1086/697197
- 269) Aonuma, H., Totani, Y., Sakakibara, M., Lukowiak, K., and Ito, E (2018). Comparison of brain monoamine content in three populations of *Lymnaea* that correlate with taste-aversive learning ability. *Biophys Physicobiology* 15: 129-135. doi: 10.2142/biophysico.15.0_129
- 270) Rothwell, C. M., Spencer, G. E., and Lukowiak, K. (2018) The effect of rearing environment on memory formation. *J. Exp. Biol.* 221: 408-413.
- 271) Zhang, J, de Freitas, E., and Lukowiak, K (2018). Black tea differs from Green tea: It suppresses long-term memory formation in *Lymnaea* *Communicative & Integrative Biology* 10.1080/19420889.2018.1491245
- 272) Swinton, C., Swinton, E., Shymansky, T., Hughes, E., Zhang, J., Rothwell, C., Kakadiya, M., and Lukowiak, K. (2019) Configural learning: a higher form of learning in *Lymnaea*. *J. Exp. Biol.* jeb.190405. doi: 10.1242/jeb.190405
- 273) Totani, Y., Aonuma, H., Oike, A., Watanabe, T., Hatakeyama, D., Sakakibara, M., Lukowiak, K., and Ito, E. (2019) Monamines, Insulin and the roles they play in associative learning in pond snails. *Frontiers in Behav Neurosci* 2 April 2019, doi: 10.3389/fnbeh.2019.00065 Vol 13, Article 65
- 274) Swinton, E., Swinton, C., and Lukowiak, K., (2019) Shell damage leads to enhanced memory formation in *Lymnaea*. *J Exp Biol* pii: jeb.207571. doi: 10.1242/jeb.207571
- 275) Rothwell CM and Lukowiak, K (2019) Strain transformation: enhancement of invertebrate memory in a new rearing environment. *J Exp Biol* Jul, 222. doi: 10.1242/jeb.205112
- 276) Barbeito-Andrés J, Castro-Fonseca E, Qiu LR, Bernal V, Lent R, Henkelman M, Lukowiak K, Gleiser PM, Hallgrímsson B, Gonzalez PN. *J Exp Biol.* 2019 Aug 8. pii: jeb.204651. doi: 10.1242/jeb.204651

- 278) Kagan, D and Lukowiak, K (2019) Configural learning in freshly collected, smart, wild *Lymnaea*. *J Exp Biol*. 2019 Nov 11. pii: jeb.212886. doi: 10.1242/jeb.212886.
- 279) Totani Y, Nakai J, Dyakonova VE, Lukowiak K, Sakakibara M, Ito E. (2020) Induction of LTM following an insulin injection. *eNeuro*. 2020 ENEURO.0088-20.2020. doi: 10.1523/ENEURO.0088-20.2020.
- 280) Powell, C., Wilson, W., Olesaningo, G., Manyama, M., Jamniczky, H., Spritz, R., Cross, J., Lukowiak, K., Hallgrímsson, B., and Gonzalez, P. (2020) Lack of head sparing following third-trimester caloric restriction among Tanzanian Maasai. *PLoS One* 15: e0237700. <https://doi.org/10.1371/journal.pone.0237700>
- 281) Swinton, E., Shymansky, T., Swinton, C. and Lukowiak, K (2020). Stress before training alters memory retrieval of a non-declarative memory in *Lymnaea*. *J Exp Biol* 223: jeb223727 doi: 10.1242/jeb.223727
- 282) Rivi, V., Benatti, C., Colliva, C., Alboni, S., Lukowiak, K., Tascadda, F., and Blom, J. (2020). What can we teach *Lymnaea*? What can *Lymnaea* teach us? *Biol Rev* doi: 10.1111/brv.12716
- 283) Fernell, M., Rivi, V., Batabyal, A., and Lukowiak, K (2021). The temperature-sensitivity of memory formation and persistence is altered by cold acclimation in a pond snail. *J. Exp. Biol.* 224, jeb242513. doi:10.1242/jeb.242513
- 284) Soudavari, R . Batabyal, A., and Lukowiak, K. (2020) In *Lymnaea* two stressors that individually enhance memory in combination block memory formation. *Can J Zool*. DOI 10.1139/cjz-2020-0207
- 285) Itoh, A., Komatsuzaki, Y., Lukowiak, K. and Saito, M. (2021) Epicatechin increases the persistence of long-term memory formed by conditioned taste aversion in *Lymnaea* 224, jeb238055. doi:10.1242/jeb.238055
- 286) Swinton, E., Swinton, C., Philips, I., and Lukowiak, K. (2021) A Thermal stressor, Propranolol and LTM formation in freshly collected *Lymnaea* . *J Exp Biol.* 224, jeb242293. doi:10.1242/jeb.242293.287)
- 287) Rivi, V., Batabyal, A., Juego, K., Kakadiya, M., Benatti, C., Blom, J. (2021) To eat or not to eat: A Garcia effect in pond snails (*Lymnaea stagnalis*) *J Comp Physiol A Neuroethol Sens Neural Behav Physiol.* 2021 May 30. doi: 10.1007/s00359-021-01491-5) PMID: 34052874
- 288) Batabyal, A. and Lukowiak, K. (2021) Configural learning memory can be transformed from intermediate-term to long-term in pond snail *Lymnaea stagnalis* *Physiol Behav*:113509. doi: 10.1016/j.physbeh.2021.113509.
- 289) Batabyal, A., Rivi, V., Benatti, C., Blom, J., and Lukowiak, K. (2021). Long term memory of configural learning is enhanced via CREB upregulation by the flavonoid Quercetin in *Lymnaea stagnalis*. *J Exp Biol.* 244 242761. doi: 10.1242/jeb.242761.

- 290) Kagan, D., Batabyal, A., Rivi, V., and Lukowiak, K (2021) MicroRNAs and behaviour: The Role of MicroRNAs in Preventing Neophobia and Altering Hedonic Value. Revision Submitted to J Exp Biol 12 Nov, 2021.
- 291) Rivi, V, Batabyal, A., Benatti, C., Blom, J., Tascadda, F., and Lukowiak, K. (2021). A flavonoid, quercetin, is capable of enhancing LTM formation if encountered at different times in the learning, memory formation, and memory recall *continuum*. Journal of Comparative Physiology A <https://doi.org/10.1007/s00359-021-01522-1>
- 292) Rivi, V, Batabyal, A., Benatti, C., Blom, J., Tascadda, F., and Lukowiak, K. (2021). Nature versus nurture in heat stress induced learning between inbred and outbred populations of *Lymnaea stagnalis*. Submitted to Freshwater Biology (July, 27 2021)
- 293) Duffy, B., Anthony, S. E., Lukowiak, K., and Sinclair, B. (2021). A long winter of remembrance? Effects of cold on long term memory formation and retention in the pond snail *Lymnaea stagnalis*. (submitted to Thermal Biology)
- 294) Kowall, C. A., Lukowiak, K., and Phillips, I.D. (2021). Agricultural use of insecticides alters important *Lymnaea stagnalis* behaviours (Under revision -CJZ-Aug 2021)
- 295) Wiley, B., Batabyal, A. and Lukowiak, K. (2021) Fluoride alters feeding and memory in *Lymnaea stagnalis*. In Press Journal of Comparative Physiology A
- 296) Komatsuzaki, Y. and Lukowiak, K. (2021) Epicatechin alters the activity of RPeD1 in the pond snail, *Lymnaea*. (2021) Submitted to Biophys Physicobiology Oct2021
- 297) Batabyal, A., Chau, D., Rivi, V., and Lukowiak, K (2021). Risk in one is not risk in all: Pond snails from high and low background risk environments show differential decision making under multiple behavioural tests (Sent to Functional Ecology on 5 October, 2021)
- 298) Totani, Y., Naki, J., Hatakeyama, D., Dyakonova, V., Lukowiak, K., and Ito, E. (2021). Tryptophan concentration in hemolymph and autophagic flux in the CNS regulates the CNS serotonin content that mediates learning enhancement by food deprivation in pond snail. (submitted to Nutritional Neuroscience 22 Oct 2021)

ABSTRACTS (Over 350) Not listed here in order to save trees!