

ClinicalTrials.gov Search Results 06/20/2022

	Title	Status	Study Results	Conditions	Interventions	Locations
1	A Placebo-Controlled Effectiveness in INPH Shunting (PENS) Trial	Completed	Has Results	•Idiopathic Normal Pressure Hydrocephalus (INPH)	•Device: programmable CSF shunt valve	<ul style="list-style-type: none"> •Johns Hopkins Medicine, Baltimore, Maryland, United States •Cleveland Clinic, Cleveland, Ohio, United States •University of Washington Medical Center, Seattle, Washington, United States •University of Calgary, Calgary, Alberta, Canada •Vancouver General Hospital/University of British Columbia, Vancouver, British Columbia, Canada •Umeå University, Umeå, Sweden
2	Efficacy in INPH Shunting (PENS) Trial	Recruiting	No Results Available	•Idiopathic Normal Pressure Hydrocephalus (INPH)	•Device: programmable CSF shunt valve	<ul style="list-style-type: none"> •University of California, Davis, Davis, California, United States •Emory University, Atlanta, Georgia, United States •Indiana University, Indianapolis, Indiana, United States •Johns Hopkins University, Baltimore, Maryland, United States •Henry Ford Health System, Detroit, Michigan, United States •Mayo Clinic, Rochester, Minnesota, United States •University of New Mexico Hospital, Albuquerque, New Mexico, United States •New York University Langone Health, New York, New York, United States •Mount Sinai Health System, New York, New York, United States •Wake Forest Baptist Medical Center, Winston-Salem, North Carolina, United States •and 6 more